

BETTELUX SHAPE



0	0
	0

Concentrating on what's essential is the direct way to new ideas

BETTELUX SHAPE

Design: Tesseraux + Partner

A new generation of free-standing baths and washbasins – on one striking frame. Redesigned with masterful overstatement, the characterful interior provides a unique opportunity to give the bath a new look – and a convincing synergy thanks to harmonising accessories.

Characteristics of **BETTE**LUX SHAPE:

- Minimalist bathroom products and accessories for maximum effect
- · All embracing design concept for a new look
- Innovative technology for the bath without visible overflow





BETTELUX SHAPE



BETTELUX SHAPE

Bath

Dimensions (L x W x D / lying dimension): 170 x 75 x 45 cm / 1270 mm 180 x 80 x 45 cm / 1345 mm 190 x 90 x 45 cm / 1420 mm Frame height: 58,5 cm



BETTELUX SHAPE

Washbasin

Dimensions (L x W): 60 x 49.5 cm 80 x 49,5 cm 100 x 49,5 cm Frame height: 90 cm



BETTELUX SHAPE

Mirror

Dimensions (L x W x H): 60 x 25.5 x 190 cm



BETTELUX SHAPE

Shelf

Dimensions (L x W): Shelf: Wooden inserts: 40 x 12 cm 20 x 12 cm 60 x 12 cm 40 x 12 cm 80 x 12 cm 60 x 12 cm 100 x 12 cm 80 x 12 cm

100 x 12 cm

Stool

Dimensions (L x W x H): 35 x 35 x 42 cm

BETTELUX SHAPE

BETTELUX SHAPE

Frame colour



BETTELUX SHAPE

Wood surfaces







BETTEMODULES



0	0
	0

The new combination of bathroom product and furniture, wellness and living

BETTEMODULES

Design: Tesseraux + Partner

Look minimilised for a convincing effect – fascinating diversity in the design. This transforms the rectangular cube into storage space, shelf, and furniture. The modules can unfold their 3D diversity as an integrative landscape or in interaction with the bath and washbasin.


Characteristics of **BETTE**MODULES:

- · Available in wood and with painted surface
- · New options for bathroom design
- · Where living space and bathroom merge





BETTEMODULES







BATHROOM LANDSCAPES
















- · Depth of 49.5 cm
- · suitable for BETTEAQUA, BETTELUX, BETTECOMODO, BETTEART











BETTEMODULES

Wood surfaces



Painted surfaces

White, high gloss
White, textured paint matt
Greige, textured paint matt
Taupe, textured paint matt
Ocean, textured paint matt
Flint, textured paint matt

FURNITURE FOR WASHBASINS

- · Depth of 53 cm
- · suitable for BETTEONE, BETTEART, BETTEBOWL



BETTECOMODO



0	0
	0

Modern line, comfortable form

BETTECOMODO

Design: Tesseraux + Partner

The design line for all who also see the washbasin and bath as a unity of design, who wish tangible and visible quality for the best value, and who want to live a modern life and relax in comfort.

Characteristics of **BETTE**COMODO:

- · Classical design combined with soft lines
- · Universal character
- Unmistakably Bette: 20 mm narrow rim with precision corners
- · Single bath with comfortable back angle





BETTECOMODO

Design: Tesseraux + Partner



BETTECOMODO

Bath

Dimensions (L \times W \times D / lying dimension): 170 \times 75 \times 45 cm / 1245 mm 180 \times 80 \times 45 cm / 1310 mm 190 \times 90 \times 45 cm / 1380 mm







BETTECOMODO

Washbasin

Dimensions (L x W x H): Counter top washbasin $60 \times 49.5 \times 6$ cm $80 \times 49.5 \times 6$ cm $100 \times 49.5 \times 6$ cm

Built-in/undermounted basin 60 x 49,5 x 1 cm 80 x 49,5 x 1 cm 100 x 49,5 x 1 cm Wall mounted washbasin 60 x 49,5 x 14 cm 80 x 49,5 x 14 cm 100 x 49,5 x 14 cm



BETTELUX OVAL



0	0
	0

Oval – without compromise

BETTELUX OVAL

Design: Tesseraux + Partner

The expanded series now offers an oval variant of the rectangular bath **BETTE**LUX. There is no mistaking the extremely narrow rim of 8 mm and the flowing interior.



BETTELUX OVAL Fitted bath

Dimensions (L x W x D / lying dimension): $170 \times 75 \times 45$ cm / 1270 mm $180 \times 80 \times 45$ cm / 1340 mm $190 \times 90 \times 45$ cm / 1420 mm







BETTELUX OVAL SILHOUETTE



0	0
	0

Oval – to the full extent

BETTELUX OVAL SILHOUETTE

Design: Tesseraux + Partner

The Silhouette bath is a master of statement. The characterful interior with its extremely narrow rim makes this crafted Bette product a tangible bathing experience.




BETTELUX OVAL SILHOUETTE

Free-standing bath

Dimensions (L x W x D / lying dimension): $170 \times 75 \times 45 \text{ cm } / 1270 \text{ mm}$ $180 \times 80 \times 45 \text{ cm } / 1340 \text{ mm}$ $190 \times 90 \times 45 \text{ cm } / 1420 \text{ mm}$ Apron height: 57,5 cm







BETTELUX OVAL HIGHLINE



0	0
	0

Oval - especially varied

BETTELUX OVAL HIGHLINE

Design: Tesseraux + Partner

As a plinth solution, the Highline bath invites you to share in a creative exchange with material and space – and is the key to an all new design potential. Yet it always keeps in character thanks to its flowing interior.



BETTELUX OVAL HIGHLINE

Dimensions (L x W x D / lying dimension): $180\times80\times45\ cm\ /\ 1340\ mm$ $190\times90\times45\ cm\ /\ 1420\ mm$ Apron height: 28 cm





BETTEANTI-SLIP PRO



0	0
	0


Safety you can feel, beauty you can see

BETTEANTI-SLIP PRO

The new **BETTE**ANTI-SLIP PRO makes it easy to comply with more stringent individual requirements and structural regulations regarding anti-slip. And the advantage is that it preserves the visual and functional qualities of **BETTE**GLAZE®.

Advantages of **BETTE**ANTI-SLIP PRO

- · For matt colours and glossy white
- · DIN-compliant anti-slip effect
- · Consistent, subtle look
- · Permanently fired on
- For all shower areas and extra- and ultra-flat shower trays
- · Minimum cleaning required





- Anti-slip to DIN 18040 barrier-free
- Anti-slip to DIN 51097 rating group B for wet-loaded barefoot areas
- · Anti-slip to DIN 51130 R10



BETTEINSTALLATION SYSTEM UNIVERSAL



0	0
	0

The formula for maximum flexibility



BETTEINSTALLATION SYSTEM UNIVERSAL



BETTEINSTALLATION SYSTEM UNIVERSAL

- · Safe, easy installation: both flush-to-floor and raised with a tiled plinth
- Installation perfectly sealed: The sealing components that are included in the delivery offer maximum protection
- Maximum flexibility: Adjustment range of 75-215 mm and easy to align from above
- The system is permanently accessible for inspection work
- Noise level only 20 db(A) as per DIN 4109/A1.
 Complies with the strict requirements of VDI 4100 SST III. Tested and confirmed by Dekra.





BETTEFLOOR



BETTEFLOOR SIDE



BETTESHOWER TRAY ultra-flat 2.5 cm



BETTESHOWER TRAY ultra-flat 3.5 cm



BETTESHOWER TRAY extra-flat 6.5 cm













Raised installation with a tiled plinth